



**VAIS TECHNOLOGY**

[www.vaistech.com](http://www.vaistech.com)

## Owner's Manual

**SoundLinQ<sup>3</sup>**  
Model: SL3sat

# Audio Interface Controller with built-in SiriusXM Satellite Radio interface

(SXV300 SiriusXM Tuner required)

TOYOTA • LEXUS • SCION

**⚠ WARNING****DO NOT DISASSEMBLE OR ALTER**

Doing so may result in an accident, fire or electric shock

**Do not block your view**

Do not mount product or any added audio and/or video equipment where it can block your view through the windshield or your view of dashboard indicators and displays.

**Do not block the airbag**

Do not mount product or any added audio and/or video equipment where it can obstruct the operation of any safety devices such as the airbag.

**Distraction warning**

Do not let product or any added audio and/or video equipment distract you while you are driving.

**BEFORE WIRING, DISCONNECT THE CABLE FROM THE NEGATIVE BATTERY TERMINAL**

Before starting any installation work, you must wait 90 seconds after turning the ignition switch to the LOCK position and disconnecting the negative (-) terminal from the battery. The supplemental restraint system (airbag) is equipped with a backup power source. If installation work is started less than 90 seconds after disconnection of the negative (-) battery terminal, the SRS may deploy. When the negative (-) terminal cable is disconnected from the battery, the clock and audio systems memory will be erased. Before starting installation work, make a record of the clock and audio systems memory settings. When installation is complete, reset the clock and audio systems to their previous settings. Power tilt, power telescopic steering column, front power seats, power mirrors, and power shoulder belt anchorage are equipped with a memory function. The rear power seat is not equipped with a memory function, and they can make a record of the memory contents. The rear power seat is not equipped with the memory function. When installation is complete, it is necessary to readjust the features to their previous settings. Never use a backup power supply (such as another battery) during installation work to avoid losing these memory settings.

**⚠ CAUTION****DO NOT SPLICE INTO ELECTRICAL CABLES**

Never cut away cable insulation to supply power to other equipment. Doing so will exceed the current carrying capacity of the wire and result in fire or electric shock.

**DO NOT ALLOW CABLES TO BECOME ENTANGLED IN SURROUNDING OBJECTS**

Cables or wiring that obstruct or get caught on places such as the steering wheel, shift lever, brake pedals, etc. can be extremely hazardous.

**DO NOT INSTALL IN LOCATIONS WITH HIGH MOISTURE OR DUST**

Moisture or dust may result in product failure.

**HAVE THE WIRING AND INSTALLATION DONE BY EXPERTS**

The wiring and installation of this product requires special technical skills and experience.

**USE ONLY SPECIFIED ACCESSORY PARTS**

Use of other than specified parts may damage product internally.

**FOLLOW THE OPERATIONAL AND INSTALLATION MANUALS.**

YOU SHOULD READ AND FAMILIARIZE YOURSELF THOROUGHLY WITH THE FOLLOWING INFORMATION PRIOR TO INSTALLING AND USING THIS UNIT. IN ADDITION, YOU MUST CAREFULLY READ AND FOLLOW THE INSTALLATION SCHEMATICS/INSTRUCTIONS FOR THE PRODUCT AND THE VEHICLE IN WHICH IT IS BEING INSTALLED. FAILURE TO FOLLOW INSTALLATION INSTRUCTIONS MAY DAMAGE THE PRODUCT AND THE VEHICLE, WILL VOID THE PRODUCT WARRANTY, AND MAY VOID THE VEHICLE WARRANTY

**CHECK YOUR LOCAL LAWS**

Some States/Provinces or other governmental jurisdictions (such as cities) may have laws that prohibit the operation of a video screen within the sight of the Driver. If you have purchased such a product, you should use the product only in locations where it is legal to do so, and if you do use the product, set up the screen so it is only visible to passengers.

**TROUBLESHOOTING**

Should this product fail to operate properly, please contact your Dealer or our Customer Service Department at [support@vaistech.com](mailto:support@vaistech.com).

***i* IMPORTANT**

This unit is an interface adapter for Toyota/Lexus head unit to control the SiriusXM Tuner SXV300 (SOLD SEPARATELY) .



This unit is equipped with:

- Built-in Electronic Ground Noise Isolator to eliminate unwanted car engine noise.
- Resettable Fuses (provides protection for electronic circuits from over-current conditions)

***i* About SiriusXM Satellite Radio Operation**

- The unit may refuse to change the channel if your reception is going ON and OFF. Please wait until your reception stabilizes in order for the unit to allow you to change the channel easily.
- Due to bad reception in some areas, SiriusXM Satellite Radio may not work and/or not able to display text.
- **TEXT INFORMATION ONLY AVAILABLE FOR RADIOS WHICH SUPPORT SAT mode, CD or MD CHANGER WITH A CD-TEXT or MD-TEXT CAPABILITY.** Please see attached chart to determine emulation that is compatible with your vehicle.


Connecting the units




SoundLinQ3  
12-Pin Audio with Y  
Harness (43")



SoundLinQ3  
20-Pin Audio with Y  
Harness (43")




Vehicle Antenna



SiriusXM Tuner  
SXV300

Vehicle Antenna  
and SiriusXM Tuner  
SXV300  
are included in  
SL3sat-TKIT only


SoundLinQ3  
Model: SL3sat



RED LED

Service  
Port


Mode  
Programming  
switch




Power and Audio  
wiring harness

Interface connector  
for SiriusXM SXV300 Tuner

**Connecting SoundLinQ3 to head unit using 20-pin Y-harness**



**Connecting SoundLinQ3 to head unit using 12-pin Y-harness**



To Un-plug any connector do NOT pull it by the wires.

**! ATTENTION**

Look into **Application Guide Chart** (enclosed) to determine which emulation to program your unit into.

Match year, make, and model of your car and cross reference it with MD, CD, or SAT emulation in EMULATION column.

**i IMPORTANT**

We strongly recommend that you install the unit in an easily accessible location, so you can later upgrade the unit or re-program it in case of incorrect programming.


**Installation**

- ... Gain access to the back of your vehicle's Head Unit.
- ... Find the same port as our Y-Harness (see "Connecting SoundLinQ3 to head unit")
- ... Disconnect the existing connector and plug in our Y-Harness connector into this port, then plug female end of Audio Harness to plug into your factory connector . **Audio harness female connector is not used in some vehicles, in this case isolate unused plug to prevent accidental shortage to vehicle body.**
- ... Plug the other end of Audio cable into designated port on this unit.
- ... Connect SiriusXM Satellite Radio Tuner interface cable as shown in the picture. (see "Connecting the units")
- ... Setup proper Emulation Mode for the unit (see "Emulation Mode Selection")
- ... Turn the car on and check SoundLinQ3 functionality (especially Text capability) before the final assembly.
- ... Please mount this unit in an easily accessible location for upgrading and re-programming purposes.
- ... Secure the Head Unit in its original position.

**Emulation Mode Selection (SAT emulation)**

SAT Emulation Mode programming steps:


- ... Properly install this unit.
- ... Put "Left" programming switch in "DOWN" position.
- ... Put ignition switch into the "ACC" position.
- ... Wait for long beep followed by a few short beeps. This may take up to one minute.
- ... Return programming switches into their default position (both switches "UP"). Wait up to 30 seconds until confirmation beep.
- ... Put ignition switch into the "OFF" position. Wait at least 10 seconds.
- ... Put ignition switch into "ACC" or "ON" position.
- ... Check SoundLinQ3 for functionality, especially TEXT capabilities.



## Emulation Mode Selection (CD and MD changer emulation)


### MD Changer Emulation Mode programming steps:

- ... Properly install the unit.
- ... Put both programming switches in the "DOWN" position.
- ... Put ignition switch into the "ACC" position.
- ... Wait for a long beep followed by a few short beeps. This may take up to one minute.
- ... Return programming switches into their default position (both switches "UP"). Wait up to 30 seconds until confirmation beep.
- ... Put ignition switch into the "OFF" position. Wait at least 10 seconds.
- ... Put ignition switch into the "ACC" or "ON" position.
- ... Check SoundLinQ3 for functionality, especially TEXT capabilities.



### CD Changer Emulation Mode programming steps:


- ... Properly install the unit.
- ... Put "Right" programming switch in the "DOWN" position.
- ... Put ignition switch into the "ACC" position.
- ... Wait for a long beep followed by a few short beeps. This may take up to one minute.
- ... Return programming switches into their default position (both switches "UP"). Wait up to 30 seconds until confirmation beep.
- ... Put ignition switch into the "OFF" position. Wait at least 10 seconds.
- ... Put ignition switch into the "ACC" or "ON" position.
- ... Check SoundLinQ3 for functionality, especially TEXT capabilities.



### **i** IMPORTANT

- Improper Emulation Mode setting may cause unit to be unrecognized by head unit.
- By activating "CD or MD Changer Emulation Mode" you force the unit to find proper location in the vehicle Audio/Video network.

### Mounting unit using Velcro fasteners



### **NOTE**

- Velcro Fasteners are not included
- VAIS Technology strongly recomand to ground unit to the car chassis for best results

## **SAT EMULATION**

PAGES 9-12

---

## **CD CHANGER OR**

## **MD CHANGER EMULATION**

PAGES 13-17



## SAT Emulation

**Audio input dedicated for SiriusXM Satellite Radio** can only be used for SiriusXM Radio integration. Control of SiriusXM Satellite Radio is done through your head unit or the steering wheel controls (explained below). This unit supports the SiriusXM Tuner Model # SXV300.

Please see attached chart to determine which emulation mode is compatible with your vehicle.

By connecting this unit to the factory system you add a device (**Satellite Radio interface**). SAT1, SAT2, and SAT3 can be used for 6 presets each.

### SAT Emulation

For Radio Integrated into Navigation System



Satellite Radio CH023 (SAT emulation)



Satellite Radio CH001 (SAT emulation Text display)



Satellite Radio SAT2 CH070 (SAT emulation)



Satellite Radio SAT3 CH004 (SAT emulation)



Satellite Radio SAT1 (Set 4/6) CH032 (SAT emulation)



Satellite Radio SAT1 Ch033 Category Selection (SAT emulation)

## Source Selection (SAT Emulation)

Select desired source by pressing the **AM** button on the head unit or **MODE** on the steering wheel control. (See diagram below)

### Head Unit:

To switch between unit sources, press the **AM** button on the head unit. The **AM** button will cycle through the following modes: AM radio, SAT1, SAT2, and SAT3. SAT1, SAT2 and SAT3 are presets for the satellite receiver.



### Steering Wheel control:

To switch between unit sources, press the **MODE** button on the steering wheel control. The diagram below shows the order in which sources are selected. (Diagram below assumes following sources are present).



**MANUAL TUNING**

Use the **TUNE** knob on the head unit to select channels. You can rapidly scan channels by turning the knob faster in the direction you wish to scan.

**CHANNEL SEEK**

**TRACK+** and **TRACK-**

Use the **SEEK-TRACK** button on the stereo head unit to select the next available channel. The unit will automatically skip channels that are not available.

**CHANGING CATEGORIES**

**◀TYPE** and **TYPE▶**

To change the category of channels you would like to listen to, press either the **TYPE <** or **TYPE >** button.

**DISPLAYING SONG TITLE AND ARTIST NAME**

To display the song title and artist name that is currently playing, press the **TEXT** button. If the information is available from the current satellite channel, it will be displayed. Song title and artist name can display a maximum of 16 alphanumeric characters each.

**SELECTING PRESETS**

To select a preset, press the desired preset button.

**TYPE SCAN**

Scan channels throughout the selected category.

**Displayed Messages/Errors**

- ANTENNA-** Antenna not connected or inoperable
- NO SIGNAL-** No signal or acquiring satellite signal
- TUNER ERR-** Satellite receiver is not connected or does not respond



**Presets**



**Adding a new PRESET**

- ... Select the desired channel
- ... Press and hold the preset button where you would like to store the current channel.
- ... You will hear a beep when the channel has been stored in the preset location.

**NOTE:** Beep indicates successfully accomplished operation. If you do not hear a beep, please repeat the above steps.


**Changing an existing PRESET**

- ... Presets can be overwritten at any time using the same procedure as adding a new Preset.

**Erasing PRESETS**

- ... Presets can not be erased, but they can be overwritten at any time by following the procedure for Adding a new Preset.

**Tuner Radio ID**



Select Channel 255

Tuner "RADIO ID"

**Satellite Radio Input Settings**

You can adjust the input sound level of your satellite receiver. The sound level adjustment allows you to balance the volume control with other sources connected to your head unit (such as CD player, FM radio, etc), and eliminate possible distortions caused by high input levels.


**Activate / Deactivate SETTINGS MODE**

- ... Go to SAT 3
- ... Tune to channel 255
- ... Press [Type Scan] 8 times to hear long beep (MUST be done within 1-2 seconds).
- ... Using AM or AM/SAT button reselect sources to cycles to SAT 3

**Satellite Sound Level Adjustment**

- ... Activate SETTINGS MODE
- ... To adjust the sound level, first you must select a source that is not connected to the SoundLinQ3 unit, such as CD player or FM radio. Set the volume to a comfortable level while listening to this source.
- ... Change the source to SAT1 or SAT2 and select a satellite channel to listen to.
- ... Change the source to SAT3.
- ... Press and hold the button labeled SAT Lev Adj or number 5 on the Radio with its own LCD. You will hear a short beep, and should then hear sound coming from the satellite receiver source.
- ... Now you will adjust the sound level to match the volume of the source you selected in step 1. To adjust the sound level, press either the TYPE < or TYPE > button.
- ... Once the sound level matches the volume of your source from step 1, press the SAT Lev Adj (or number 5 on the Radio with its own LCD) again to store the desired sound level in memory.
- ... Deactivate SETTINGS MODE

Preset #5 



Satellite Radio Input Settings



Satellite Radio Satellite Sound Level Adjustment

# CD/MD Changer Emulation

**Audio input dedicated for SiriusXM Satellite Radio** can only be used for Satellite Radio integration. Control of SiriusXM Satellite Radio is done through your head unit or the steering wheel controls (explained below). This unit supports the SiriusXM Tuner Model # SXV300.

This unit can be programmed in **CD changer emulation mode**, **MD changer emulation mode** or **SAT Emulation**. Please see attached chart to determine which emulation mode is compatible with your vehicle. By connecting this unit to the factory system you add a device (**Satellite Radio interface**). The Radio display will show device as a "CD/CD1/CD2" or "MD1".

## CD changer emulation

For Radio Receiver with LCD



Satellite Radio CH019 (CD changer emulation)

For Radio Integrated into Navigation System



Satellite Radio CH023 (CD changer emulation with CD-Text)

## MD changer emulation

For Radio Receiver with LCD



Satellite Radio CH027 (MD changer emulation)



Satellite Radio CH001 (MD changer with a MD-TEXT)

For Radio Integrated into Navigation System



Satellite Radio CH081 (MD changer emulation)



Satellite SiriusXM Radio CH023 (MD changer emulation)


## Head Unit Controls

### Source Selection (CD/MD Emulation)

Select desired source by pressing **DISC** button on the head unit or **MODE** on the steering wheel control. (See diagram below)


#### Head Unit:

To switch between the unit sources you need to use the "DISC" or "CD" button on the radio (Diagram below assumes factory CD changer is present).



#### Steering Wheel control:

To switch between the unit sources you need to use the "MODE" button on the steering wheel control. (Diagram below assumes following sources are present).



You must set the correct Display Mode, in order to display channel number and TEXT information correctly. ( See "Satellite Radio Input Settings" for details).

**TRACK+** and **TRACK-**

Select Next/Previous channel (if the selected channel is not available, the unit will jump to the next available channel).

**◀▶** and **▶▶** (**SCROLL**)

Speed channel selection +10, -10 (if the selected channel is not available, the unit will jump to the next available channel). If "DISC SCAN" mode is activated **[SCROLL]** buttons work as **[DISC+]** and **[DISC-]**.\*

**NOTE:** Available only if PRESET CHANNELS are setup. This feature was created for vehicles which do not have **[DISC+]**, **[DISC-]** buttons.

**DISC+** and **DISC-**

Used for PRESET CHANNEL selection.

**NOTE:** Assumed at least one PRESET CHANNEL exists (see "Presets").

**NOTE:** If PRESET CHANNEL list has not been previously set **[DISC+]** and **[DISC-]** work as **[SCROLL]** buttons.

**SCAN**

Used for setup purposes. (Please refer to "Display settings and Special Features").

**DISC SCAN**

Please see **SCROLL** buttons functionality.

**NOTE:** Buttons **[DISC RPT]**, **[RANDOM]**, **[DISC RANDOM]** are **NOT Supported**.

## **i** IMPORTANT

**DISC RPT**

To select whether Song Name or Artist Name displays first. We recommend using this feature especially for cars where Radio is not integrated into Navigation Screen.

**Displayed Errors** (available only with CD-Text or MD-Text capability)

- ANTENNA-** Antenna not connected or inoperable
- NO SIGNAL-** No signal or acquiring satellite signal
- TUNER ERR-** Satellite receiver is not connected or does not respond

## Direct Entry Mode

SoundLinQ3 supports "Direct Entry Mode" only for vehicles with Radio integrated into Navigation System.



Simply touch numeric buttons to enter channel number in "Direct entry mode"

**NOTE:** Direct input isn't available for Radio with its own LCD Display

If you select a channel higher than 299 this unit will direct you to the channel according to the following example.

**Example:** If you select channel 567, the system will select channel 67. If channel 67 is not available the unit will switch to channel 1.

**Presets**

**Adding a new PRESET**

- ... Select the desired channel
- ... Press the [RPT] or [REPEAT] button 4 times (**MUST BE DONE** within 1-2 seconds). You will hear a beep.
- ... SoundLinQ3 will store the current channel in the preset list. You can store up to 10 preset channels, and channels get recorded in sequential order.

**NOTE:** Beep indicates successfully accomplished operation. If you do not hear a beep, please repeat the above steps.

**Changing an existing PRESET**

- ... Select the preset you would like to change (using the [DISC+], [DISC-] buttons)
- ... Select new desired channel (using the [TRACK+], [TRACK-] buttons, or use "Direct entry" on the Navigation screen (if supported). Make sure you do not select channels which already exist in "Presets list", because unit will move to another preset.
- ... Press the [RPT] or [REPEAT] button 4 times (**MUST BE DONE** within 1-2 seconds). You will hear a beep.
- ... SoundLinQ3 will update the preset list.

**NOTE:** Beep indicates successfully accomplished operation. If you do not hear a beep, please repeat the above steps.

**Erasing PRESETS**

- ... Enter into "Satellite Radio Input Settings" Mode ( See "Satellite Radio Input Settings" for details)
- ... Press the [DISC RAND] or [DISC RANDOM] button one time to activate the "DISC RANDOM" function.
- ... Press the [DISC RAND] or [DISC RANDOM] button again to deactivate it.
- ... SoundLinQ3 will produce a long beep as an confirmation of successful erasure.
- ... Exit "Satellite Radio Input Settings" Mode ( See "Satellite Radio Input Settings" for details)


**Satellite Radio Input Settings**

**Enter/Exit "Satellite Radio Input Settings" Mode**

- ... Press the [SCAN] button 8 times (**MUST BE DONE** within 1-2 seconds) to enter "Satellite Radio Input Settings" Mode. You will hear a short beep as a confirmation.
- ... SoundLinQ3 will use the "REPEAT" indicator (continuous blinks 2 times per second) on your head unit to confirm "Satellite Radio Input Settings" Mode is active.
- ... Press the [SCAN] button 8 times (**MUST BE DONE** within 1-2 seconds) to exit "Satellite Radio Input Settings" Mode. You will hear a short beep as a confirmation.

**NOTE:** In this mode you can setup Display Settings, Erase PRESETS list, and Adjust Sound Level for Satellite Radio Input.

**Tuner Radio ID**



## Display Settings

### About Display Settings

SoundLinQ3 supports 8 types of Display Modes. Display Mode can ONLY be set up for the Satellite Radio source.

**It is critical to setup, the correct Display Mode for the following reasons:**

- For Channel information to be displayed correctly.
- For Text information to be displayed.

**Display mode 1** - Minutes and Seconds used to display the selected channel number.

Minutes display hundreds, seconds display 00-99. DISC number and TRACK number are "invisible"

**NOTE:** This mode is preferred with CD changer emulation for Radio receivers with their own LCD.

**Display mode 2** - Same as Display mode 1, except that DISC and TRACK number always display "1".

**NOTE:** Some Radio receivers refuse to display minutes and seconds if DISC or TRACK number are "invisible". Please use this mode if your Radio receiver displays only "CD1" on the LCD.

**Display mode 3** - In this mode TRACK number is used to display hundreds, Minutes are used to display tens, Seconds are used to display single digits. DISC number is "invisible".

**NOTE:** This mode is most common for the radio integrated into the Navigation System.

**Display mode 4** - In this mode TRACK number used to display hundreds, Minutes are used to display tens, Seconds are used to display single digits. DISC number is always "1".

**Display mode 5** - Alternate variation of Display mode 1.

**Display mode 6** - In this mode TRACK number is either 10, 11 or 12 where "0" from 10, "1" from 11 and "2" from 12 are used to display hundreds, Minutes are used to display tens, Seconds are used to display single digits. DISC number is always "12".

**NOTE:** This mode is most common for the radio integrated into the Navigation System which does not display Song Title in MD changer emulation mode (Alternative for Display Mode 3, allows Song Title to be displayed for channels less than 100) .

**Display mode 7** - In this mode TRACK number is either 10, 1 or 2 where "0" from 10, "1" and "2" are used to display hundreds, Minutes are used to display tens and single digits. DISC number is always "12".

**Display mode 8** - In this mode TRACK number is either 10,11 or 12 where "0" from 10, "1" from 11 and "2" from 12 are used to display hundreds, Minutes are used to display tens, Seconds are used to display single digits. DISC number is always "12".

**NOTE:** Alternative to Display Mode 7.

**NOTE:** Use Display mode 8 in MD changer emulation mode. In this mode TRACK number is used to display the channel number.


### Changing Display Mode

- ... Enter into "Satellite Radio Input Settings" Mode ( See "Satellite Radio Input Settings" for details).
- ... Press [**SCROLL UP**] to switch between Display Modes.
- ... Check channel 23, 81, 92, and 123, to confirm correct Display Mode selection.
- ... Make sure both Disc Title and Track Title information is displayed correctly.
- ... Exit "Satellite Radio Input Settings" Mode ( See "Satellite Radio Input Settings" for details).



Display Settings


Displaying Channel Information



Track number, Minutes, and Seconds are used to display the selected satellite channel number.

**NOTE:** For cars with the Radio integrated into the Navigation System, "DISC" number MUST BE "invisible" or "12" in order to have all ten numbers available for "Direct entry".

**NOTE:** On some Radios both DISC number and TRACK number must be different from "0" or "invisible" in order for TEXT to be displayed properly.



Minutes and Seconds are used to display selected satellite channel number.

**NOTE:** Present if MD-TEXT is supported by the Radio Receiver (may differ on Head units model and year)

**NOTE:** Please check channel 081, 092 and 123 to make sure those channel numbers are displayed properly.

Satellite Sound Level Adjustment

- ... Enter into "Satellite Radio Input Settings" Mode ( See "Satellite Radio Input Settings" for details).
- ... Select the desired satellite channel.
- ... Activate the "SCAN" function on your head unit.
- ... Set the desired volume at your head unit.
- ... While "SCAN" is active use [SCROLL UP] to increase volume and [SCROLL DOWN] to decrease volume.
- ... Sound level [01..31] will be displayed as Seconds on you head unit.
- ... Deactivate "SCAN" function.
- ... Exit "Satellite Radio Input Settings" Mode ( See "Satellite Radio Input Settings" for details).

**NOTE:** Remember, a high sound level may result in noticeable sound distortion.

# LICENSING AGREEMENT, DISCLAIMERS AND LIMITED WARRANTY

## VAIS TECHNOLOGY, LLC

### LICENSE AGREEMENT

VAIS TECHNOLOGY- SoundLinQ3 (SL3i), (SL3x), (SL3s), (SL3sat)

for U.S.A. (hereinafter referred to as "PRODUCT") and its related software

For Most Toyota/Lexus Vehicles 2001-2013; (hereinafter collectively referred to as "PRODUCTS"). THIS IS A LEGAL AGREEMENT BETWEEN YOU, AS THE END USER, AND VAIS TECHNOLOGY, LLC ("VAIS"). PLEASE CAREFULLY READ THE TERMS AND CONDITIONS OF THIS AGREEMENT BEFORE USING THE VAIS PRODUCTS. BY USING THE VAIS PRODUCTS AND SOFTWARE INSTALLED ON THE VAIS PRODUCTS, YOU ARE AGREEING TO BE BOUND BY THE TERMS OF THIS AGREEMENT. THE AUDIO INTERFACE CONTROLLER AND THE AUDIO VIDEO INTERFACE CONTROLLER ARE ESSENTIALLY THE BRIDGE BETWEEN A VEHICLE, ITS EQUIPMENT, AND ANY 'AFTER-MARKET' EQUIPMENT SUBSEQUENTLY ADDED TO THE VEHICLE BY THE END-USER. THE EQUIPMENT SOLD TO YOU, THE END USER, IF PROPERLY INSTALLED IS A RESETTABLE TECHNOLOGY, WHICH WILL, UNDER NORMAL CIRCUMSTANCES, AUTOMATICALLY DISCONNECT IN THE EVENT OF ANY MALFUNCTION. SINCE VAIS DOES NOT INSTALL THIS EQUIPMENT, VAIS DISCLAIMS ANY LIABILITY FOR IMPROPER INSTALLATION OF THE VAIS TECHNOLOGY OR THE 'AFTER-MARKET' EQUIPMENT (INPUTS). FURTHER, THE 'END USER' ACKNOWLEDGES THAT THE PRODUCT AND ITS SOFTWARE ARE NOT INHERENTLY DANGEROUS AND DO NOT PROVIDE ANY INHERENT RISKS AND THEREFORE POTENTIAL DAMAGES TO THE END-USER, OTHER THAN 'Fitness for its Purpose'. Some radio receiver models may cause you to experience some technical difficulties, if the product does not operate properly please contact technical department promptly at [support@vaistech.com](mailto:support@vaistech.com).

### **1. GRANT OF LICENSE**

VAIS grants to you a non-transferable, non-exclusive license to use the PRODUCT and its software installed on the VAIS product (the "PRODUCTS") and the related documentation solely for your own personal use or for internal use by your business, only on such VAIS PRODUCTS. You shall not copy, reverse engineer, translate, port, modify or make derivative works of the Software contained in the PRODUCT. You shall not loan, rent, disclose, publish, sell, assign, lease, sublicense, market or otherwise transfer the Software in the PRODUCT or use it in any manner not expressly authorized by this agreement. You shall not derive or attempt to derive the source code or structure of all or any portion of the Software in the PRODUCT by reverse engineering, disassembly, recompilation, or any other means. You shall not use the Software in the PRODUCT to operate a service bureau or for any other use involving the processing of data for other persons or entities. VAIS and its licensor(s) shall retain all copyright, trade secret, patent and other proprietary ownership rights to the Software in the PRODUCT. The PRODUCTS are Copyrighted/ Patented and/or at various stages of Pending and **may not** be copied, even if modified or merged with other products. You shall not alter or remove any copyright notice or proprietary legend contained in or on the PRODUCTS. You may transfer all of your license rights in the Software or the PRODUCT, the related documentation and a copy of this License Agreement And Warranty to another party, provided that the party reads and agrees to accept the terms and conditions of this License Agreement And Warranty.

### **2. OPERATIONAL WARNING AND SAFETY INSTRUCTIONS.**

**IMPORTANT NOTICE: YOU SHOULD READ AND FAMILIARIZE YOURSELF THOROUGHLY WITH THE FOLLOWING INFORMATION PRIOR TO INSTALLING AND USING THE – SoundLinQ3 (SL3i), (SL3x), (SL3s), (SL3sat) and its related software (THE "PRODUCTS").**

**IN ADDITION, YOU MUST CAREFULLY READ AND FOLLOW THE INSTALLATION SCHEMATICS/INSTRUCTIONS FOR THE PRODUCT AND THE VEHICLE IN WHICH IT IS BEING INSTALLED. FAILURE TO FOLLOW INSTALLATION INSTRUCTIONS MAY DAMAGE THE PRODUCT AND THE VEHICLE AND WILL VOID THE PRODUCT WARRANTY AND MAY VOID THE VEHICLE WARRANTY. (A copy of the installation schematics is included with the Product and can also be found on the VAIS TECHNOLOGY website at [www.vaistech.com](http://www.vaistech.com).)**

**FAILURE TO ABIDE BY THESE OPERATIONAL WARNINGS AND SAFETY INSTRUCTIONS COULD RESULT IN SERIOUS BODILY INJURY OR DEATH. IN ADDITION, FAILURE TO FOLLOW THESE INSTRUCTIONS MAY VOID THE PRODUCT WARRANTY AND COULD BECOME A BASIS FOR LIABILITY ON THE PART OF THE VEHICLE OPERATOR IN THE EVENT OF AN ACCIDENT WHICH RESULTS IN INJURY TO PERSONS OR PROPERTY. UNDER NO CIRCUMSTANCES WILL VAIS OR ITS IMMEDIATE AGENTS OR PRINCIPALS, BE LIABLE, FOR DAMAGES INCURRED TO THE PRODUCTS, THE VEHICLE OR ITS PASSENGERS, OR OTHER THIRD-PARTIES AS A RESULT OF FAILURE TO FOLLOW VAIS'S INSTALLATION INSTRUCTIONS.**

**A COPY OF THE 'OPERATIONAL WARNINGS AND SAFETY INSTRUCTIONS' IS TO BE KEPT WITH THE VEHICLE AT ALL TIMES.**

### **3. DISCLAIMER AND LIMITATION OF WARRANTIES.**

(A) EXCEPT AS OTHERWISE CONTAINED HEREIN, the PRODUCTS and related documentation are provided to you, "AS IS". IN NO EVENT SHALL VAIS BE LIABLE FOR ANY DAMAGES, CLAIM OR LOSS INCURRED BY YOU (INCLUDING WITHOUT LIMITATION, COMPENSATORY, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES, LOST PROFITS, LOST SALES OR BUSINESS, EXPENDITURES, INVESTMENTS, OR COMMITMENTS IN CONNECTION WITH ANY BUSINESS, LOSS OF ANY GOODWILL, OR DAMAGES. THE TERM 'INCIDENTAL DAMAGES' REFERS TO THE EXPENSES OF TRANSPORTING THE PRODUCTS TO THE VAIS SERVICE CENTER, LOSS OF THE END-USERS [ORIGINAL PURCHASER'S] TIME, LOSS OF THE USE OF THE PRODUCT, BUS FARES, CAR RENTALS OR OTHER COSTS RELATED TO THE CARE AND CUSTODY OF THE PRODUCT. THE TERM 'CONSEQUENTIAL DAMAGES' REFERS TO THE COST OF REPAIRING OR REPLACING OTHER PROPERTY, WHICH IS DAMAGED WHEN THIS PRODUCT DOES NOT WORK PROPERLY.) RESULTING FROM THE USE OR INABILITY TO USE THE PRODUCTS, INCLUDING ANY DAMAGES INCURRED DUE TO THE NEGLIGENT OPERATION OF A MOTOR VEHICLE, IN CONJUNCTION WITH THE USE OF SAID PRODUCTS. THE END-USER ACKNOWLEDGES ITS RESPONSIBILITY FOR THE USE OF THE PRODUCT. THE ADDITION OF VAIS PRODUCTS AND ANY AFTER-MARKET EQUIPMENT MAY ENHANCE THE VALUE OF A VEHICLE OR CAUSE A THIRD-PARTY TO ILLEGALLY ATTEMPT TO REMOVE THE PRODUCTS AND AFTER-MARKET EQUIPMENT. VAIS DISCLAIMS ANY LIABILITY RELATED TO SUCH THEFT AND POTENTIAL DAMAGE TO PROPERTY. IT IS THE END-USERS RESPONSIBILITY TO PROTECT ITS OWN PROPERTY. THE END-USER FURTHER ACKNOWLEDGES THAT THE OPERATION OF A MOTOR VEHICLE IS AN INHERENTLY DANGEROUS ACTIVITY, AND BY ITS USE OF VAIS'S PRODUCTS, ACKNOWLEDGES THAT THE PRODUCTS ARE REMOTELY RELATED TO SAID MOTOR VEHICLE OPERATION, AND THUS ANY DAMAGES CAUSED TO THE DRIVER OF THE VEHICLE, THE VEHICLE ITSELF OR ANY THIRD-PARTY AND ITS PROPERTY IS NOT THE RESPONSIBILITY OF VAIS, ITS AGENTS OR ITS PRINCIPALS AND IS THE SOLE RESPONSIBILITY OF THE DRIVER OF SAID VEHICLE.

YOU, THE END-USER, OR ANY OTHER DRIVER OF THE VEHICLE, IS SOLELY RESPONSIBLE FOR THE SAFE OPERATION OF THE VEHICLE AND THE SAFETY OF BOTH YOU AND THE PASSENGERS. FOR SAFETY PURPOSES, THE PRODUCT SHOULD NOT BE USED FOR THE DRIVER'S ENTERTAINMENT, WHILE THE VEHICLE IS BEING DRIVEN. SUCH USE COULD BE A DISTRACTION TO THE DRIVER, WHICH COULD CAUSE AN ACCIDENT LEADING TO SERIOUS INJURY OR DEATH. IF YOU, THE END-USER ALLOW ANOTHER PERSON TO USE THE VEHICLE, IT IS YOUR RESPONSIBILITY TO THOROUGHLY BRIEF THAT OTHER USER, ON THE SAFETY REQUIREMENTS FOR OPERATING THE VEHICLE AND THE PRODUCTS INSTALLED THEREIN.

(B) SAID DISCLAIMERS SHALL APPLY TO THE USE OF SAID PRODUCTS, EVEN IF VAIS HAS BEEN INFORMED OF, KNEW OF, OR SHOULD HAVE KNOWN OF THE LIKELIHOOD OF SUCH DAMAGES. THIS LIMITATION APPLIES TO ALL CAUSES OF ACTION IN THE AGGREGATE, INCLUDING WITHOUT LIMITATION: BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS. IF VAIS'S WARRANTY DISCLAIMER OR LIMITATION OF LIABILITY SET FORTH IN THIS AGREEMENT SHALL, OR FOR ANY REASON WHATSOEVER, BE HELD UNENFORCEABLE OR INAPPLICABLE, YOU AND ANY OTHER END USER AGREE THAT VAIS'S LIABILITY SHALL NOT EXCEED (50%) OF THE PRICE PAID FOR THE ENCLOSED VAIS PRODUCT.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Warranty Disclaimer and Limitation of Liability shall not be applicable to the extent that any federal, state or local law, which cannot be preempted, prohibits any provision of this Warranty.

(C) Some States/Provinces or other governmental jurisdictions (such as cities) may have laws that prohibit the operation of a video screen within the sight of the Driver. If you have purchased such a product, you should use the product only in locations where it is legal to do so, and if you do use the product, set up the screen only where it may be visible to passengers only. Although VAIS strongly recommends that Products not be used while the vehicle is in motion, it is your responsibility to determine whether the product can be used in any given location. Any use of the PRODUCTS where it is illegal to do so, may be used against you as evidence of negligence in the event of an auto accident or other traffic infraction.

### **4. THIRTY (30)- DAY MONEY BACK WARRANTY ONLY IF PURCHASED DIRECT FROM VAIS.**

Any Product purchased directly from VAIS, referencing a **Return Authorization Number (RAN)** during the Thirty-(30) day period following shipment by VAIS, may be returned for a full refund of the purchase price actually paid, only if you have received damaged, defective or incorrectly shipped merchandise. The RAN number may be obtained from **VAIS's Customer Support at (720) 733-2348**, and is valid for only thirty- (30) days from its issuance. Said RAN must be noted on the outside of the returned PRODUCTS' packaging. The PRODUCTS must be returned in its original packaging, intact, without any evidence of tampering with the PRODUCTS or physical damage caused by the Customer (End-User).

**WE WOULD STRONGLY RECOMMEND THAT THE ITEM BE SHIPPED INSURED, SINCE THE RISK OF LOSS DURING SHIPPING IS WITH THE END-USER.** Re-stocking Fees may apply. Damage Fees if deemed caused by the End-User may apply. SHIPPING AND HANDLING OF THE END-USER IS NOT REFUNDABLE AND MUST BE PREPAID, FOR THIS WARRANTY TO BE APPLICABLE. END-USER SHALL ASSUME ALL RISK OF LOSS FOR THE SHIPPING OF THE PRODUCTS TO VAIS. **PLEASE ALLOW UP TO EIGHT (8) WEEKS FOR VAIS TO CREDIT YOUR ACCOUNT.**

## 5. LIMITED WARRANTY.

VAIS warrants that the PRODUCTS will be free from defects in materials and workmanship for a period of ONE (1) YEAR from the date of purchase. VAIS'S sole obligation under this warranty is to repair or replace at VAIS'S option, any PRODUCTS that VAIS shall have determined to be defective. Any replacement of parts, shall at the option of VAIS and at no additional charge to the end-user, be new or rebuilt/re-engineered replacement parts. Any replacement of PRODUCTS shall be with new or remanufactured equivalent PRODUCTS. The End-User is responsible for all shipping costs to VAIS, in connection with warranty service. VAIS will not be liable for any defects arising out of any modification of the PRODUCTS, or misuse, neglect, improper installation not in accordance with the specifications provided by VAIS, or if the product is used in violation of any applicable local, state or federal laws. It is the End Users responsibility to ascertain the existence and applicability of any local laws to the operation of the PRODUCTS, in any location where the PRODUCTS are being used. other causes beyond Seller's reasonable control.

### A. WHO PERFORMS VAIS TECHNOLOGY'S WARRANTY COMPLIANCE.

VAIS Technology's professional technical department will perform VAIS warranty obligations.

### B. WHAT YOU MUST DO.

To obtain warranty performance, you must take the PRODUCTS, or deliver the PRODUCTS freight prepaid, to a VAIS Technology Authorized Service Center. If shipped, the PRODUCTS must be packaged so that it is protected from possible shipping damage. VAIS Technology will ship the PRODUCTS to you when warranty performance is completed. VAIS Technology will pay for shipping the PRODUCTS to you, if the product was repaired under the warranty and the Product was received by the Service Center during the warranty period, in which case the Product will be returned to you freight prepaid by VAIS. You must present to the Service Center, or include with your shipment, a dealer's bill of sale, or other original evidence, showing the date and place of purchase and describing the Product purchased to establish warranty eligibility. Be sure to include your return address and a written description of the problem and a daytime telephone number where you can be reached should the need arise.

SHIP TO: VAIS Technology  
8811 American Way, Suite 125  
Englewood, CO  
80112

ATTENTION: SERVICE DEPARTMENT

For your own protection, you should obtain a proof of delivery receipt. Return shipping (that is, shipping back to the customer following repair or replacement), will be paid by the Seller unless repair or replacement is determined not to be covered by the warranty.

C. WHAT THE WARRANTY DOES NOT COVER. VAIS shall have no liability or obligation to Purchaser with respect to any PRODUCTS requiring service during the warranty period which is subjected to any of the following: abuse, improper operation, negligence, accident, modification, improper connections, failure of the end-user to follow the operating procedures outlined both herein, and in any user's manual, attempted repair by non-qualified personnel, Company or Association; operation of the Product outside of the published environmental and electrical parameters, or if such Product's original identification (trademark, serial number) markings have been defaced, altered, or removed. VAIS excludes from warranty coverage Products which have not been sold by VAIS or an Authorized VAIS Dealer to the Purchaser. VAIS also excludes from warranty coverage Products sold outside of the United States. **All wires and connectors furnished with, or as part of the PRODUCTS is furnished "AS IS" (i.e., without any warranty of any kind), except where expressly provided otherwise in any documentation or license agreement furnished with the PRODUCTS.**

### Other Items Not covered Pursuant to this Warranty:

1. Damage occurring during shipment of the product to VAIS for repair (claims must be presented to the carrier);
2. Any cost or expense related to the removal or reinstallation of the product;
3. Any Products which have been adjusted, altered or modified without VAIS's consent;
4. Any Products that has been determined to contain an excessive amount of dust or dirt and any product that contains any other contaminants including liquid or foreign objects.

**REPAIR OR REPLACEMENT AS PROVIDED IN THIS WARRANTY IS THE PURCHASER'S EXCLUSIVE WARRANTY REMEDY. IMPLIED WARRANTIES, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE, SHALL NOT EXTEND BEYOND THE DURATION OF THE APPLICABLE PARTS WARRANTY PERIOD AND NO PERSON, COMPANY OR ASSOCIATION (INCLUDING AUTHORIZED DEALERS) IS AUTHORIZED TO ASSUME FOR VAIS ANY OTHER LIABILITY IN CONNECTION WITH THE SALE OF THE PRODUCT.**

**D. ALL WARRANTIES EXPRESS OR IMPLIED, ARE HEREBY DISCLAIMED BY VAIS, AND ANY SUCH WARRANTY IS DEEMED VOID, IN THE EVENT THE END-USER ATTEMPTS TO MODIFY THE PRODUCT OR PRODUCTS IN ANY WAY.**

In addition, some states, do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusion may not apply to you. This warranty gives you specific legal rights and you may have other rights, which may vary, from state to state. **THE ABOVE WARRANTY TERMS AND CONDITIONS ARE VALID ONLY IN THE U.S.A.**

### IMPORTANT STEPS TO SAFEGUARD YOUR DATA AND PROPERTY:

Be sure to remove all third-party after market equipment, options, alterations, and attachments not warranted by VAIS Technology before sending the Product to VAIS for warranty service. **VAIS IS NOT LIABLE FOR ANY LOSS OR DAMAGE TO THESE ITEMS.**

## 6. OTHER PROVISIONS:

A. INDEMNIFICATION OF VAIS, ITS AGENTS AND EMPLOYEES. By Purchasing, Installing and Using the Products, You, the End-User, agree to indemnify, defend and hold harmless, VAIS, and its Affiliates, Directors, Officers, Agents and Employees from any Liabilities, Damage, Loss, Claim and Expense (including reasonable Attorney's Fees) arising out of the installation and use of the Products.

B. GOVERNING LAW, THIS AGREEMENT, and all Purchases hereunder shall be governed by, and construed under the laws of the State of Colorado, without regard to conflicts of law rules. You agree that the Courts of Colorado shall have exclusive jurisdiction over the Parties, for all disputes. Venue shall lie exclusively in either: (i) Arapahoe County District Court; or the U.S. District Court, District of Colorado.

C. NOT FOR RESALE NOR EXPORT ASSURANCES. You, the End-User certifies and agrees that the Products are being Purchased for the End-Users own use, and not for resale. The End-User further agrees that he/she/it will not remove components from Product for resale, unless he/ she/ it becomes certified as an official dealer of VAIS and enters into the appropriate 'Distribution Agreements' required by VAIS technology. The End-User further agrees that neither the software, nor any other technical data received from VAIS, nor the direct Product thereof, will be exported outside the United States, except as authorized and as permitted by VAIS and in accordance with the laws and regulations of the United States. If the software or Products rightfully obtained by you outside of the United States, you agree that you will not export the Software, Products, nor other technical data, received from VAIS; except as authorized and as permitted by VAIS, and in accordance with the laws and regulations of the United States. VAIS and the End-User recognize that violation of these provisions will result in damages to VAIS, in a substantial amount, which is not easily determined. If these provision are violated, the End-User shall be liable to VAIS in the amount of \$100/day, as liquidated damages and not as a penalty, commencing with the first day in which the end-user violates this provision and ending on the day in which such Products or its parts are recovered by VAIS.

D. FORCE MAJEURE. VAIS Technology shall not be liable for any delay or failure in performance caused by or resulting from acts of God, fire, flood, storms, earthquakes, tornados, other acts of nature, any accidents, riots, wars, government intervention, embargoes, strikes, labor difficulties, equipment failures, or any other causes beyond the control of VAIS Technology. Quantities are subject to availability. In the event of shortage, VAIS Technology may allocate sales and deliveries in its sole discretion.

E. WAIVER. Failure of VAIS Technology to insist upon strict performance of any provisions hereof shall not be deemed a waiver of its right and remedies.

F. SEVERABILITY. In the event that any of the provisions, or portions thereof, of this Agreement are held to be unenforceable or invalid by any court or tribunal of competent jurisdiction, the validity and enforceability of the remaining provisions, or portions thereof, shall not be affected thereby, and effect shall be given to the intent manifested by the provisions, or portions thereof, held to be enforceable and valid.

G. CONSTRUCTION: Throughout this Agreement the singular shall include the plural, and the plural shall include the singular, and masculine shall include the feminine wherever the context so requires.

H. COMPETENCY OF THE PARTIES. Each party is legally competent and fully authorized to execute this Agreement.

I. OPPORTUNITY TO REVIEW AGREEMENT WITH COUNSEL OF PARTIES OWN CHOOSING. You, the End-User acknowledge that YOU have had every right to consult a licensed attorney, and have done so to the extent of your desires, prior to entering into this Agreement, and: (a) has fully and carefully read and considered this Agreement prior to its execution; (b) has been sent to, or has had the opportunity to be fully apprised by his or her attorney of the legal effect and meaning of this document and all of its terms and conditions; (c) has had the opportunity to make whatever investigation or inquiry he/she deems necessary or appropriate in connection with the subject matter of this Agreement; (d) has been afforded the opportunity to negotiate as to any and all terms of this Agreement; and (e) is executing this Agreement voluntarily, free from any undue influence, coercion, duress or fraud of any kind.

J. BINDING EFFECT: Upon execution, this Agreement shall be binding and fully enforceable, and shall inure to the benefit of the parties hereto, their successors, personal representatives and heirs.

K. NOTICES: All notices, as may be required by this Agreement, shall be sent to the respective parties at the addresses set forth below. Appropriate registered or certified mailing to the parties may modify the place of notice.

L. ENTIRE AGREEMENT. These terms and conditions constitute the entire and exclusive agreement between you, the End-User and VAIS Technology, concerning the Products, and your purchase hereunder, and supercede all statements or other agreements, whether oral or written, between you and VAIS Technology. No change in this Agreement shall be effective, unless agreed to in writing by both you, the end-user and VAIS.

**IF YOU DO NOT AGREE WITH THESE TERMS, PLEASE RETURN THE VAIS PRODUCTS (INCLUDING THE SOFTWARE\* AND ANY WRITTEN MATERIALS) IN ORIGINAL CONDITION, AND IN ORIGINAL PACKAGE (INCLUDING SHIPPING BOX, AND ALL PACKAGING BELONGINGS USED FOR SECURE SHIPPING) WITHIN FIVE (5) BUSINESS DAYS OF RECEIPT OF THE PRODUCTS, TO THE PLACE FROM WHICH YOU PURCHASED THEM, FOR A FULL REFUND OF THE PURCHASE PRICE OF THE VAIS PRODUCTS.**

\* VALID FOR SPECIFIC VAIS PRODUCTS ONLY



# VAIS Technology SiriusXM integration application guide

8811 American Way, Suite 125, Englewood CO 80112  
 Tel: 720-733-2348 Fax: 720-528-7683 E-mail: info@vaistech.com

Make	Model	Year	Audio System	Emulation	Text	SiriusXM Integration			
						Pre-programmed by VAIS prior to shipping		Requires firmware flash by VAIS Dealer	
						Back of the radio Connection	USB Connection	USB Connection	
<b>Toyota</b>									
4 Runner	2005-2013	Without JBL	CD	Yes	SL3sat-T				
		With JBL, Navigation or AM/SAT button	SAT	Yes	SL3sat-T				
86	2014-2016	With factory USB	-	-	GSR-101	GSR-001	GSR-U01		
		2017	With factory USB	-	-	GSR-101	GSR-001	GSR-U01	
Avalon	2005-2011	Without JBL	CD	Yes	SL3sat-T				
		With JBL, Navigation or AM/SAT button	SAT	Yes	SL3sat-T				
		2012-2014	With Touch screen or AM/SAT button	SAT	Yes	SL3sat-T			
Camry/Solara	2005-2014*	Without JBL	CD	Yes	SL3sat-T				
		With JBL, Navigation or AM/SAT button	SAT	Yes	SL3sat-T				
		2014.5-2017	With factory USB	-	-	GSR-101	GSR-001	GSR-U01	
C-HR	2018	With factory USB	-	-	GSR-101	GSR-002	GSR-U01		
		2018	With factory USB	-	-	GSR-101	GSR-001	GSR-U01	
Corolla/Matrix/Yaris	2007-2011	Without AM/SAT button	CD	Yes	SL3sat-T				
		With AM/SAT button	SAT	Yes	SL3sat-T				
		2012-2013	With multi-touch display or SAT button	SAT	Yes	SL3sat-T			
		2014-2018	With factory USB	-	-	GSR-101	GSR-001	GSR-U01	
FJ Cruiser	2006-2011	Without JBL	CD	Yes	SL3sat-T				
		With JBL, Navigation or AM/SAT button	SAT	Yes	SL3sat-T				
Highlander	2007-2011	Without JBL	CD	Yes	SL3sat-T				
		With JBL, Navigation or AM/SAT button	SAT	Yes	SL3sat-T				
		2012-2013	With multi-touch display or SAT button	SAT	Yes	SL3sat-T			
Land Cruiser	2003-2004	With factory USB	-	-	GSR-101	GSR-001	GSR-U01		
		2005-2011	With Navigation	MD	Yes	SL3sat-T			
		2004-2011	All Packages	SAT	Yes	SL3sat-T			
Prius	2012-2014	2012	Prius C	-	-				
		2012-2014	With Touch screen (except 2012 Prius C)	SAT	Yes	SL3sat-T			
		2015-2017	With factory USB	-	-	GSR-101	GSR-001	GSR-U01	
		2012-2011	Without JBL	CD	Yes	SL3sat-T			
RAV4	2012	With JBL, Navigation or AM/SAT button	SAT	Yes	SL3sat-T				
		2013-2014	With Touch screen or AM/SAT button	SAT	Yes	SL3sat-T			
		2014.5-2018	With factory USB	-	-	GSR-101	GSR-001	GSR-U01	
		2005-2011	Without JBL	CD	No	SL3sat-T			
Sequoia	2005-2011	JBL	CD	Yes	SL3sat-T				
		With Navigation or AM/SAT button	SAT	Yes	SL3sat-T				
		2004-2005	With Navigation	SAT	Yes	SL3sat-T			
Sienna	2006-2014	Without JBL	CD	Yes	SL3sat-T				
		With JBL, Navigation or AM/SAT button	SAT	Yes	SL3sat-T				
		2015-2016	With factory USB	-	-	GSR-101	GSR-001	GSR-U01	
Tacoma	2005-2011	Without JBL	CD	Yes	SL3sat-T				
		With JBL, Navigation or AM/SAT button	SAT	Yes	SL3sat-T				
		2012-2013	With Touch screen or AM/SAT button	SAT	Yes	SL3sat-T			
Tundra	2005-2006	With factory USB	-	-	GSR-101**	GSR-001	GSR-U01		
		Without JBL	CD	No	SL3sat-T				
		JBL	CD	Yes	SL3sat-T				
Venza	2007-2013	With Navigation	SAT	Yes	SL3sat-T				
		All Packages	SAT	Yes	SL3sat-T				
		2014-2015	With factory USB	-	-	GSR-101	GSR-001	GSR-U01	
Scion	2009-2014	All Packages	SAT	Yes	SL3sat-T				
		2005-2015	With AM/SAT button	SAT	Yes	SL3sat-T			
Lexus	All	Radio model T10015	-	-	GSR-011				
		Radio model T10015 with Add On Navigation	-	-	GSR-012				
		iM, iC	2016	With factory USB	-	-	GSR-101	GSR-001	GSR-U01
		iA	2017	With factory USB	-	-	GSR-101	GSR-093	GSR-U01
Lexus	GS 300/350/430//450H	2001-2005		CD	No	SL3sat-L			
		2006-2009	All Packages	SAT	Yes				
	ES 300/330/350	2002-2003	With Navigation	MD	Yes				
			Without Navigation	CD	No				
	GX 470	2005-2009	With Navigation	CD	Yes				
			All Packages	SAT	Yes				
			Without Navigation	MD	Yes				
	RX 300/330/400H/350	2001-2003	With Navigation	MD	Yes				
			All Packages	SAT	Yes				
			Without Navigation	CD	No				
	LX 470/LX570	2004	All Packages	CD	Yes				
			2005-2009	All Packages	SAT				Yes
			2004	All Packages	MD				Yes
	LS 430	2001-2003	All Packages	SAT	Yes				
			2004-2006	All Packages	MD				Yes
	LS 460	2007-2009	With Navigation	N/A	N/A				
			Without Navigation	N/A	N/A				
	SC 430	2002-2004	All Packages	N/A	N/A				
			2005-2009	All Packages	SAT				Yes
	IS 300/250/350	2001-2005	All Packages	CD	No				
2006-2009			All Packages	SAT	Yes				

**Notes:**  
 SAT emulation mode available for most '05-'14 vehicles. Radio doesn't have to have SAT button in order for SAT emulation to work.  
 Please use CD emulation mode if after SAT programming AM button didn't switch to SAT or SAT didn't become available as the source.  
 \* P10069, 518C1, 100201 radio models are NOT compatible with SL3sat  
 \*\* GSR-101 requires a MODE button on the steering wheel control to operate

© Copyright 2006-2018 VAIS Technology All right reserved.

Liability Disclaimer: This application guide is based on the testing results at the time of publishing. VAIS Technology can not be held liable for damages or injuries caused by, or resulting from use of this guide. Strictly adhere to all car manufacturer warnings that pertain to the disassembly, maintenance, or servicing of the vehicle and any of its associated part systems. VAIS Technology can not be responsible for discrepancies, or inconsistencies that may occur due to automobile manufacturing changes.



# VAIS Technology SiriusXM integration application guide

8811 American Way, Suite 125, Englewood CO 80112  
 Tel: 720-733-2348 Fax: 720-528-7683 E-mail: info@vaitech.com

Make	Model	Year	Audio System	SiriusXM Integration		
				Pre-programmed by VAIS	Requires firmware flash by	
				USB Connection	VAIS Dealer	
<b>Alfa Romeo</b>						
	Giulia	2018	With Factory USB	GSR-A01	GSR-U01	
	Stelvio					
<b>Dodge / Chrysler / Fiat / Jeep</b>						
	200	2014-2018	Uconnect 4.3	GSR-051		
	500L					
	Challenger					
	Charger					
	Cherokee Latitude					
	Compass					
	Durango					
	Grand Cherokee					
	Journey					
	Pacifica					
	RAM	2017	Uconnect 4	GSR-053	GSR-U01	
	Renegade					
	Spider		With Factory USB	GSR-093		
<b>Ford</b>						
	C-Max	2014	With factory USB port and SYNC	GSR-041***	GSR-U01	
	Edge	2014-2018				
	Escape	2014-2018				
	Explorer	2014-2018				
	Fiesta	2014-2017				
	Flex	2014-2018				
	Focus	2014-2018				
	Fusion	2014-2018				
	Mustang	2015-2018				
	Taurus	2014-2018				
	Transit	2014-2018				
	F-150	2018				
	Ecosport	2018				
			8" Screen	GSR-042		
			4.2" Screen and Sync 3			
			4.2" Screen and Sync 3			
Notes: *** GSR-041 is not compatible with SYNC firmware CCPU version that starts with EE309.						
<b>GM</b>						
	Colorado/Canyon	2016-2017	7" Screen with USB port (NOT 4.2" screen)	GSR-G01	GSR-U01	
		2018		GSR-G03		
	Cruze	2016-2017	With Factory USB	GSR-G01		
		2018		GSR-G03		
	Equinox	2018		GSR-G01		
	Malibu	2016-2017	With Touch Screen & Factory USB	GSR-G01		
		2018	With Touch Screen & Factory USB	GSR-G03		
	Silverado/Sierra	2016-2017	With Touch Screen Radio	GSR-G02		
			With Non Touch Screen Radio	GSR-G03		
			With Touch Screen Radio	GSR-G03		
	Sonic	2017		GSR-G01		
		2018		GSR-G04		
	Spark	2017		GSR-G03		
	Traverse	2018	With Factory USB	GSR-G03		
	Terrain	2018		GSR-G04		
	Trax	2016		GSR-G03		
			2017		GSR-G01	
			2018		GSR-G04	
<b>Honda</b>						
	Accord	2013-2015	With factory USB	GSR-021	GSR-U01	
			2016-2017	With factory USB		GSR-025
			2018	LX		GSR-025
	Civic		Sport	GSR-027		
			2014	Non Touch Screen Radio	GSR-021	
			2015	Non Touch Screen Radio	GSR-024	
			2014-2015	Touch Screen Radio	GSR-025	
			2016	Touch Scree Radio	GSR-026	
	CRV	2017-2018	With factory USB	GSR-025		
			2012-2016	Non Touch Screen Radio	GSR-024	
			2015-2016	Touch Screen Radio	GSR-025	
	CRZ	2017-2018	With factory USB	GSR-025		
			2014	With factory USB	GSR-021	
	Fit	2015-2017	5" Screen Radio	GSR-021		
			2018	Touch 7" Screen / Non Touch	GSR-025	
	HRV	2016-2018	All Packages	GSR-025	GSR-U01	
	Odyssey	2014-2015		GSR-025		
			2018		GSR-023	
	Pilot	2013-2015	With factory USB	GSR-025	GSR-U01	
				2017-2018		GSR-022
				2017-2018		GSR-025
	Ridgeline	2017-2018		GSR-025	GSR-U01	

© Copyright 2006-2018 VAIS Technology All right reserved.

Liability Disclaimer: This application guide is based on the testing results at the time of publishing. VAIS Technology can not be held liable for damages or injuries caused by, or resulting from use of this guide. Strictly adhere to all car manufacturer warnings that pertain to the disassembly, maintenance, or servicing of the vehicle and any of its associated part systems. VAIS Technology can not be responsible for discrepancies, or inconsistencies that may occur due to automobile manufacturing changes.



# VAIS Technology SiriusXM integration application guide

8811 American Way, Suite 125. Englewood CO 80112  
 Tel: 720-733-2348 Fax: 720-528-7683 E-mail: info@vaistech.com

Make	Model	Year	Audio System	SiriusXM Integration		
				Pre-programmed by VAIS prior to shipping	Requires firmware flash by VAIS Dealer	
				USB Connection	USB Connection	
<b>Hyundai</b>						
	Elantra	2018	With factory USB	GSR-H01	GSR-U01	
	Kona	2018		GSR-H02		
	Sonata	2018		HSR-H02		
	Tucson	2018		GSR-H01		
<b>Land Rover</b>						
	Evoque	2015-2017	8" Screen Radio	GSR-L01	GSR-U01	
			10" Screen Radio	GSR-L02		
	Discovery Sport	2017	8" Screen Radio	GSR-L01		
			10" Screen Radio	GSR-L02		
	Discovery	2017	8" Screen Radio	GSR-L01		
<b>Mazda</b>						
	3	2014-2015	Non Touch Screen Radio	GSR-092	GSR-U01	
		2016-2018	Touch Screen Radio	GSR-093		
	6	2014-2015	Non Touch Screen Radio	GSR-092	GSR-U01	
		2016-2018	Touch Screen Radio	GSR-093		
	CX3	2016-2018	Touch Screen Radio			
	CX5	2016-2018	Touch Screen Radio			
	CX9	2016-2018	Touch Screen Radio			
	Miata/MX5	2017	Touch Screen Radio			
<b>Mercedes</b>						
	C Class	2015-2017	With Factory USB	GSR-M01	GSR-U01	
	CLA	2015-2017				
	E Class	2015-2017				
	GLS	2017				
	GLE	2017				
	GLC	2016-2017				
	GLA	2016-2017				
	Metris	2016				
	Sprinter Van	2016				
<b>Nissan</b>						
	Altima	2016-2018	With Factory USB	GSR-081	GSR-U01	
	Juke	2015-2016				
	Maxima	2015				
	Rogue	2014-2016				
	Sentra	2015-2018				
	Versa	2015-2016				
	Z370	2015-2017				
<b>Porsche</b>						
	911	2013-2014	With Factory USB	GSR-061		
	Cayenne	2011-2016				
	Macan	2015-2016				
	Panamera	2011-2014				
<b>Subaru</b>						
	Forester	2014-2015	Non Touch Screen Radio model CF625UM	GSR-031		
		2015-2018	Touch Screen Radio model 617UL_658UL_759UL	GSR-034		
	Impreza/Crosstrek	2013-2014	With factory USB, Radio model CM621UB	GSR-032		
			With factory USB, Radio model CM631UD	GSR-033		
		2015-2016	Radio # CM644UL, CM695UL, & PF3678	GSR-034		
		2018	Touch Screen Radio	GSR-035		
	Crosstrek	2017	Touch Screen Radio	GSR-034		
	Impreza	2017	Touch Screen Radio	GSR-035		
	Outback	2014	With factory USB	GSR-031		
			With factory USB	GSR-035		
	Legacy	2018	Touch Screen Radio	GSR-035		
	WRX	2014	With factory USB	GSR-031		
<b>Volkswagen</b>						
	Beetle	2016-2017	With Factory USB	GSR-V01		
	Jetta	2016-2017				
	Passat	2016-2017				

© Copyright 2006-2018 VAIS Technology All right reserved.

Liability Disclaimer: This application guide is based on the testing results at the time of publishing. VAIS Technology can not be held liable for damages or injuries caused by, or resulting from use of this guide. Strictly adhere to all car manufacturer warnings that pertain to the disassembly, maintenance, or servicing of the vehicle and any of its associated part systems. VAIS Technology can not be responsible for discrepancies, or inconsistencies that may occur due to automobile manufacturing changes.