



DIAMOND
A U D I O

DESMB8 MICROBox
DESMB8D ENCLOSURE

Owners Manual

About the Diamond Audio Experience:

Congratulations, you have just purchased the finest mobile audio products on the market to date. At Diamond Audio, our products represent the latest advances in acoustic technology in sound reproduction for your vehicle. Diamond Audio products are designed, developed, and engineered using the latest innovative materials and components to provide the finest sound reproduction possible. Every Diamond Audio product has been Klippel verified and tested to ensure the best sounding and most reliable product on the market, if installed properly, Diamond Audio products will provide many years of the ultimate listening experience.

Please note that prolonged exposure to sound pressure levels in excess of 100dB can cause permanent hearing loss. Using Diamond Audio products can exceed that level so please exercise restraint in its operation in order to preserve your ability to enjoy its high fidelity sound for many years to come.

Diamond Audio recommends our products be professionally installed by an authorized Diamond Audio dealer to achieve the best possible system recommendation and installation. This will ensure a true Diamond Audio listening experience and sound you would expect from Diamond Audio products. In doing this you will extend your warranty from one year to two years.

Diamond Audio's new MICROBox subwoofer system clearly delivers impressive bass output in a small package! These MICRObox subwoofers come preloaded with a single or dual pair option of DES series 8" subwoofers. Many hours of fine tuning this subwoofer and the development of the perfect slot-port application makes these MICRObox subs outperform even some larger systems. Constructed with high-strength MDF with extensive bracing and lock-tight fastening means no leaks and distortion free bass response.

Go ahead, Hear the Music

SPECIFICATIONS:

DESMB8

8 inch / 200.3mm Slot Vented Subwoofer

2 inch 4 Ohm Dual Voice Coil 250 W RMS

2 Ohm Load impedance for the system

MDF Construction

High Velocity Power Vent

500 Watts Max Power

Dimensions: 5" / 234.3mm X 12" / 304.8mm X 18" / 457.2mm

DESMB8D

2 X 8 inch / 200.3mm Slot Vented Subwoofer

2 inch 2 Ohm Dual Voice Coil 500 W RMS

2 Ohm Load impedance for the system

MDF Construction



High Velocity Power Vent

1000 Watts Max Power

Dimensions: 5" / 234.3mm X 12" / 304.8mm X 36" / 914.4mm

PHYSICAL DIMENSIONS

Dimension	Unit	DESMB8	DESMB8D
Length (A)	in. (mm)	18.0 (457.2)	36.0 (914.4)
Height (B)	in. (mm)	12.0 (304.8)	12.0 (304.8)
Depth (C)	in. (mm)	5.0 (234.3)	5.0 (234.3)



SPECIAL NOTE:

These MICROBox subwoofer systems pack a WALLOP! Remember your high school physics - for every reaction this is an equal and opposite reaction. In the case of powerful subwoofers the issue is that the enclosure tends to move about under heavy bass notes and large excursions. If at all possible bolt down the enclosure. It will provide better and deeper bass response. L brackets are good for this application.

Also remember that there is a break in period (all subwoofers) need to be "broken in." Play music at moderate levels for a few days before really putting the "peddle" to it. The subwoofers suspension needs to be broken in to get the most and best bass response.

LIMITED SPEAKER WARRANTY STATEMENT

Diamond Audio (a division of CV & DA Holdings, Inc.) warrants this product to be free from defects in material and workmanship for a period of one (1) year from the original date of purchase provided it was purchased from an authorized DAT retailer within the United States. However, if this product was installed by the authorized DA retailer, the warranty period will be extended to two (2) years.

THIS WARRANTY IS NOT TRANSFERABLE AND APPLIES ONLY TO THE ORIGINAL PURCHASER OF THIS PRODUCT IN ITS ORIGINAL INSTALLATION. Original purchaser must reside in the United States and be able to provide proof of purchase and installation with the sales receipt from the authorized DAT retailer and completion of online registration that sold and installed the product.

Should a manufacturing defect occur during above said warranty period, DA will replace or repair the defective product with a product of the same or equivalent value and performance.

Damage or failure caused by any of the following is not covered under this warranty policy: negligence, improper use, abuse, product modification, unauthorized repair attempts, accident, acts of God, misrepresentations by DA retailers, and improper/inadequate packaging during return shipping.

Warranty is void if serial numbers have been removed, altered or defaced.

HOW TO OBTAIN WARRANTY SERVICE

In the event a DA product should require service, you should visit the authorized DA retailer you purchased the product from and they can expedite your claim. All claims must fall into the guidelines listed above and be accompanied by a copy of the original sales and installation receipt from that authorized DA retailer.

Product returned for warranty service must be freight-prepaid, properly packaged and clearly marked with the Return Authorization (RA) number issued by DA. Any product returned to DAT that is improperly packaged, does not have a RA number clearly marked on the package, or never received a RA number may be refused upon delivery. DA does not assume responsibility for lost or misdirected product.

Repair or replacement under this warranty is the exclusive remedy of the consumer. DA shall not be liable for any incidental or consequential damages for breach of any expressed or implied warranty on this product. Some states do not allow the exclusion or limitation of incidental or consequential damages, or allow limitations on how long an implied warranty lasts, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights and you may also have other rights that may vary from state to state.

Customers outside the United States should contact their local sales office to obtain information on pricing, exchange unit availability, instructions, service and warranty/non-warranty replacement or repair.



Diamond Audio
1225 E.7th ST
LOS ANGELES, CA 90021
Tel: 213-261-4161
Fax: 213-947-4767
Web: diamondaudio.com
Facebook.com/diamondaudio

Service/Tech Support:
323-453-2282
Tech Support Email
techsupport@diamondaudio.com

DIAMOND
AUDIO
